

















































IHIT POLYMER

Type	Section	I-CO	Grade	Density-KG/M3	MFI	Application	PC	Pic
HDPE	Film	HF1	7000F	949	10/21.6	Blown film extrusion	BKH 	
		HF2	EX5	949	8 / 21.6	Blown film extrusion	JAM 	
		HF3	HFI 5110	951	10 / 21.6	Blown film extrusion	AS 	
	Blow Molding	HB1	BI3	954	23-+4 / 21.6	Multipurpose blow molding grade	JAM 	
		HB2	BL3	954	23/21.6	Multipurpose blow molding grade	BKH 	
		HB3	HBM 5510	955	10 / 21.6	Blow molding, light weight cans from 2 to 20 liters	AS 	
	Injection	HI1	HD 52505	952	5 / 2.16	Caps & Closures	JAM 	
		HI2	62N07	961	6.2/2.16	Crates, molded cases and trays, industrial pails	BKH 	
		HI3	HD 60507	958	7.5 / 2.16	Crates, molded cases and trays, industrial pails	JAM 	
		HI4	HD 52518	952	18 / 2.16	Housewares, food containers, toys, caps and closures	JAM 	
	Pipe	HP1	PE 100N	948	6.2 / 21.6	Pressure pipes	JAM 	
		HP2	EX 3	945	12/21.6	Pressure pipes	AK 	
HP3		PE 80	944	6 / 21.6	Class MRS 8 - PE 80	AS 		
MDPE	Roto	MR1	HD 3840	938	4 / 2.16	Rotational molding of water tanks/LLDPE	TPC 	
	Film	MF2	MFI 3713	937	13 / 21.6	Shrink film, thin industrial film, thin packaging film, bags & pouches.	AS 	

IHIT POLYMER

Type	Section	I-CO	Grade	Density-KG/M3	MFI	Application	PC	Pic
LDPE	Film	LF1	2420 H	924	1.9/2.16	General purpose blown film.	AK 	
		LF2	2420 E02	920	1.9/2.16	General purpose blown film.	BKH 	
		LF3	2426 E02	925	1.9/2.16	General purpose blown film.	BKH 	
		LF4	LFI 2119	921	1.9 / 2.16	General purpose blown film.	AS 	
		LF5	LFI 2047	920	4.7 / 2.16	High clarity laundry bags, textile wrapping films, produce bags, zip lock bags	AS 	
		LF6	LFI 2130	921	0.3 / 2.16	Heavy-duty bags, industrial shrink films, construction and agricultural films	AS 	
		LF7	LFI 2125 A	921	2.5 / 2.16	Thin shrink film, lamination film, produce bags, textile packaging	AS 	
	Extrusion Coating	LX1	LEC 1969	919	6.9 / 2.16	Extrusion Coating on Paper, Aluminum Foil, Woven Fabric, Aseptic packaging.	AS 	
	Injection	LI1	LIM 1922	919	22/ 2.16	Toys	AS 	
LLDPE	Film	LLF1	0209 AA	920	0.9/2.16	FILM	AK 	
		LLF2	22B02	920	2/2.16	Lamination film, thin liners, shopping bags, carrier bags	BKH 	
		LLF3	18B03	920	3/2.16	Hand and pallet stretch wrap, cling film, melt embossed film	BKH 	
		LLF4	22B03	922	3/2.16	Hand and pallet stretch wrap, cling film, melt embossed film	BKH 	
		LLF5	22B02KJ	920	2/ 2.16	Lamination film, thin liners, shopping bags, carrier bags	BKH 	

IHIT POLYMER

Type	Section	I-CO	Grade	Density-KG/M3	MFI	Application	PC	Pic
HIPS	Anti-sock	H1	7240	1040	4.5/5	Extrusion and thermoforming applications	TPC 	
GPPS	CRYSTAL	G1	1540	1040	5-Nov	Clear packaging articles	TPC 	
EPS	Expantion PS	E1	221 HS	14-30	1/1.8 MM	Expantionn	TPC 	
		E2	321 HS	18-30	0.7/1.0 MM	Expantionn	TPC 	
		E3	526 WP	20	0.3/0.5 mm	Expantionn	TPC 	
		E4	422 FC	20-35	0.5/0.7 MM	Expantionn	TPC 	
		E5	522 FC	22-50	0.3/0.5 mm	Expantionn	TPC 	
ABS	General purpos	A1	150	1040	1.7 / 5	General purpose, injection molding	TPC 